

1 Work out the value of $\frac{3^7 \times 3^{-2}}{3^3}$

$$= 3^5 \div 3^3$$
$$= 3^2$$

$$3^2$$

(Total for Question 1 is 2 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

2 $v^2 = u^2 + 2as$

$u = 12 \quad a = -3 \quad s = 18$

(a) Work out a value of v .

$$v^2 = 12^2 + 2(-3)(18)$$

$$v^2 = 144 - 6(18)$$

$$v^2 = 144 - 108$$

$$v^2 = 36$$

$$v = 6$$

$$\begin{array}{r} \times \quad 18 \\ \quad 6 \\ \hline 108 \\ \times \end{array}$$

$$v = 6 \text{ (or } -6)$$

(2)

(b) Make s the subject of $v^2 = u^2 + 2as$

$$\begin{array}{r} -u^2 \\ v^2 - u^2 = 2as \end{array}$$

$$\div 2a \quad \div 2a$$

$$\frac{v^2 - u^2}{2a} = s$$

$$s = \frac{v^2 - u^2}{2a}$$

(2)

(Total for Question 2 is 4 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



- 3 A bonus of £2100 is shared by 10 people who work for a company.
40% of the bonus is shared equally between 3 managers.
The rest of the bonus is shared equally between 7 salesmen.

One of the salesmen says,

“If the bonus is shared equally between all 10 people I will get 25% more money.”

Is the salesman correct?

You must show how you get your answer.

$$40\% \text{ of } 2100$$

$$10\% = 210$$

$$40\% = 840$$

$$\begin{array}{r} 2100 \\ - 840 \\ \hline 1260 \end{array}$$

this is what's left
for the 7 salesmen

$$\begin{array}{r} 0180 \\ 7 \overline{) 1260} \end{array}$$

£180 for each Salesman

$$£2100 \div 10 = £210 \text{ each}$$

$$180 + 25\% = 180 + 45 = £225$$

$$10\% = 18$$

$$20\% = 36$$

$$5\% = 9$$

$$25\% = 45$$

NO, 25% more than
£180 is £225, not £210

(Total for Question 3 is 5 marks)

4 It would take 120 minutes to fill a swimming pool using water from 5 taps.

(a) How many minutes will it take to fill the pool if only 3 of the taps are used?

Tip: Think about real life. If we have less taps running, it will take longer!

$$\begin{array}{l} \div 5 \quad \left(\begin{array}{l} 5 \text{ taps} = 120 \text{ mins} \\ 1 \text{ tap} = 60 \text{ mins} \end{array} \right. \downarrow \times 5 \\ \times 3 \quad \left(\begin{array}{l} 3 \text{ taps} = 200 \text{ mins} \end{array} \right. \downarrow \div 3 \end{array}$$

200 minutes
(2)

(b) State one assumption you made in working out your answer to part (a).

That all taps run at the same rate

(1)

(Total for Question 4 is 3 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

200

5 A plane travels at a speed of 213 miles per hour.

(a) Work out an estimate for the number of seconds the plane takes to travel 1 mile.

$$\begin{array}{l} 200 \text{ miles} = 1 \text{ hour} \\ 200 \text{ miles} = 3600 \text{ seconds } (60 \times 60) \\ \div 200 \quad \downarrow \quad 1 \text{ mile} = 18 \text{ seconds } \quad \downarrow \div 200 \end{array}$$

$$\frac{3600}{200} = \frac{36}{2} = 18$$

$$\frac{18}{(16 \text{ to } 20)^{(3)}} \text{ seconds}$$

(b) Is your answer to part (a) an underestimate or an overestimate?


Give a reason for your answer.

Overestimate as speed rounded down

(1)

(Total for Question 5 is 4 marks)

- 7 The diagram shows a square $ABCD$ with sides of length 20 cm. It also shows a semicircle and an arc of a circle.



AB is the diameter of the semicircle.
 AC is an arc of a circle with centre B .

Show that $\frac{\text{area of shaded region}}{\text{area of square}} = \frac{\pi}{8}$

$$\begin{aligned} \text{Shaded : } \pi \times 20^2 &= 400\pi \div 4 = 100\pi \text{ (large Quarter-circle)} \\ \pi \times 10^2 &= 100\pi \div 2 = 50\pi \text{ (small Semi-circle)} \\ 100\pi - 50\pi &= 50\pi \end{aligned}$$

$$\text{Square : } 20 \times 20 = 400$$

$$\frac{50\pi}{400} = \frac{5\pi}{40} = \frac{\pi}{8}$$


(Total for Question 7 is 4 marks)



- 8 (a) Write down the exact value of $\tan 45^\circ$

1
(1)

Here is a right-angled triangle.



$$\cos 60^\circ = 0.5$$

- (b) Work out the value of x .

S^OH C^AH T^OA


$$\frac{4}{\cos(60)} = \frac{4}{0.5} = \frac{40}{5} = 8$$

8
(2)

(Total for Question 8 is 3 marks)

- 9 The times that 48 trains left a station on Monday were recorded.


The cumulative frequency graph gives information about the numbers of minutes the trains were delayed, correct to the nearest minute.



The shortest delay was 0 minutes.

The longest delay was 42 minutes.


- (a) On the grid below, draw a box plot for the information about the delays on Monday.



(3)

48 trains left the station on Tuesday.

The box plot below gives information about the delays on Tuesday.



- (b) Compare the distribution of the delays on Monday with the distribution of the delays on Tuesday.

The median was higher on Monday, suggesting there were longer delays on Monday.
The range of times was also greater on Monday, suggesting the lengths of the delays varied more.

(2)

Mary says,

“The longest delay on Tuesday was 33 minutes.
This means that there must be some delays of between 25 minutes and 30 minutes.”

- (c) Is Mary right?

You must give a reason for your answer.

No, the 25% of trains that were delayed between 17 and 33 minutes could have all been 33 minutes late.

(1)

(Total for Question 9 is 6 marks)

10 (a) Simplify $\frac{x-1}{5(x-1)^2} = \frac{\cancel{x-1}}{5(x-1)(\cancel{x-1})}$

Tip: When asked to simplify, do not expand the brackets

$$\frac{1}{5(x-1)}$$

(1)

(b) Factorise fully $50 - 2y^2$

$$2(25 - y^2)$$

$$2(5 - y)(5 + y)$$



Tip: When you notice square numbers, check if you can apply the difference of two squares!

$$2(5 - y)(5 + y)$$

(2)

(Total for Question 10 is 3 marks)

- 11 Jack and Sadia work for a company that sells boxes of breakfast cereal.

The company wants to have a special offer.

Here is Jack's idea for the special offer.

Put 25% more cereal into each box and do **not** change the price.

Here is Sadia's idea.

Reduce the price and do **not** change the amount of cereal in each box.

Sadia wants her idea to give the same value for money as Jack's idea.

By what percentage does she need to reduce the price?

Price = p

Jack : $125\% = p$

Sadie : $100\% = x p$

If $125\% = p$

$25\% = \frac{1}{5} p$


$100\% = \frac{4}{5} p = 80\% p$

Need to reduce by 20% .

20 %

(Total for Question 11 is 3 marks)

12



A , B and C are points on the circumference of a circle, centre O .
 DAE is the tangent to the circle at A .

Angle $BAE = 56^\circ$


Angle $CBO = 35^\circ$

Work out the size of angle CAO .
 You must show all your working.

$$360 - 35 - 56 - 248 = 21^\circ$$

(Total for Question 12 is 3 marks)

13



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Describe fully the single transformation that maps triangle A onto triangle B.

Enlarged by SF $\frac{1}{3}$ about $(2, 2)$

(Total for Question 13 is 2 marks)



- 14 (a) Work out the value of $\left(\frac{16}{81}\right)^{\frac{3}{4}}$

$$\left(4\sqrt{\frac{16}{81}}\right)^3$$

$$= \left(\frac{2}{3}\right)^3 = \frac{8}{27}$$

$$\frac{8}{27}$$

(2)

$$3^a = \frac{1}{9} \quad 3^b = 9\sqrt{3} \quad 3^c = \frac{1}{\sqrt{3}}$$

$3^2 \times 3^{1/2}$

- (b) Work out the value of $a + b + c$

$$a = -2 \quad b = 2.5 \quad c = -0.5$$

$$-2 + 2.5 - 0.5 = 0$$

$$0$$

(2)

(Total for Question 14 is 4 marks)

15 Three solid shapes A, B and C are similar.

The surface area of shape A is 4 cm^2

The surface area of shape B is 25 cm^2

The ratio of the volume of shape B to the volume of shape C is $27:64$

Work out the ratio of the height of shape A to the height of shape C.

Give your answer in its simplest form.

$$\begin{array}{l} A : B \\ 4 : 25 \quad (\text{Area SF}) \\ \sqrt{} \quad \sqrt{} \\ 2 : 5 \quad (\text{Length SF}) \end{array}$$

$$\begin{array}{l} B : C \\ 27 : 64 \quad (\text{Volume SF}) \\ \sqrt[3]{} \quad \sqrt[3]{} \\ 3 : 4 \quad (\text{Length SF}) \end{array}$$

$$\begin{array}{cc} A : B & B : C \\ 2 : 5 & 3 : 4 \\ \times 3 \downarrow & \downarrow \times 5 \\ 6 : 15 & 15 : 20 \end{array}$$

$$\begin{array}{l} A : B : C \\ 6 : 15 : 20 \end{array}$$

$$\begin{array}{l} A : C \\ 6 : 20 \\ 3 : 10 \end{array}$$

$$3 : 10$$

(Total for Question 15 is 4 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

16 Prove algebraically that $0.2\dot{5}\dot{6}$ can be written as $\frac{127}{495}$

$$\begin{array}{r}
 100x = 25.6\overline{56} \dots \\
 - \quad x = 0.2\overline{56} \dots \\
 \hline
 99x = 25.4 \\
 x = \frac{25.4}{99} = \frac{254}{990} = \frac{127}{495}
 \end{array}$$

$\swarrow$
 $\div 2$

(Total for Question 16 is 3 marks)


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



17 Here is a sketch of a curve.



The equation of the curve is $y = x^2 + ax + b$ where a and b are integers.

The points $(0, -5)$ and $(5, 0)$ lie on the curve.

Find the coordinates of the turning point of the curve.

$$y = x^2 + ax - 5$$

We can see from the graph that the y intercept is -5

using coordinate $(5, 0)$

$$0 = (5)^2 + (5)a - 5$$

$$0 = 25 + 5a - 5$$

$$0 = 20 + 5a$$

$$-20 = -20$$

$$-20 = 5a$$

$$-4 = a$$

$$y = x^2 - 4x - 5$$


$$y = (x - 2)^2 - 9$$

Tip: When asked to find a turning point you need to complete the square!

(2 , -9)


(Total for Question 17 is 4 marks)

18 The graph of $y = f(x)$ is shown on the grid below.



(a) On the grid above, sketch the graph of $y = f(x - 2)$

(1)



On the grid, graph A has been reflected to give graph B.

The equation of graph A is $y = g(x)$

(b) Write down the equation of graph B.

$$y = g(-x)$$

(1)

(Total for Question 18 is 2 marks)



19 For all values of x

$$f(x) = (x + 1)^2 \quad \text{and} \quad g(x) = 2(x - 1) = 2x - 2$$

(a) Show that $gf(x) = 2x(x + 2)$

$$\begin{aligned} f(x) &= (x + 1)(x + 1) = x^2 + x + x + 1 \\ &= x^2 + 2x + 1 \end{aligned}$$

$$\begin{aligned} g(x^2 + 2x + 1) &= 2(x^2 + 2x + 1) - 2 \\ &= 2x^2 + 4x + 2 - 2 \\ &= 2x^2 + 4x \\ &= 2x(x + 2) \end{aligned}$$

(2)

(b) Find $g^{-1}(7)$

$$\begin{array}{rcl} 2x - 2 & = & 7 \\ + 2 & & + 2 \\ \hline 2x & = & 9 \\ \div 2 & & \div 2 \\ \hline x & = & 4.5 \end{array}$$

(2)

(Total for Question 19 is 4 marks)

20 Show that $\frac{(\sqrt{18} + \sqrt{2})^2}{\sqrt{8} - 2}$ can be written in the form $a(b + \sqrt{2})$ where a and b are integers.

$$\sqrt{18} = \sqrt{9} \times \sqrt{2} = 3\sqrt{2}$$

$$\sqrt{8} = \sqrt{4} \times \sqrt{2} = 2\sqrt{2}$$

$$\frac{(3\sqrt{2} + \sqrt{2})^2}{2\sqrt{2} - 2} = \frac{(4\sqrt{2})^2}{2\sqrt{2} - 2} = \frac{32}{2\sqrt{2} - 2} \times \frac{2\sqrt{2} + 2}{2\sqrt{2} + 2}$$

$$= \frac{64\sqrt{2} + 64}{4(2) + 2\sqrt{2} - 2\sqrt{2} - 4}$$

$$= \frac{64\sqrt{2} + 64}{4} =$$


$$= 16\sqrt{2} + 16$$

$$= 16(\sqrt{2} + 1)$$

$$\text{OR } 16(1 + \sqrt{2})$$

(Total for Question 20 is 3 marks)

21



OAB is a triangle.

OPM and APN are straight lines.

M is the midpoint of AB .

$$\vec{OA} = \mathbf{a} \quad \vec{OB} = \mathbf{b}$$

$$OP:PM = 3:2$$

Work out the ratio $ON:NB$

$$\vec{AB} = -\mathbf{a} + \mathbf{b} \quad \vec{AM} = \vec{MB} = -\frac{1}{2}\mathbf{a} + \frac{1}{2}\mathbf{b}$$

$$\vec{OM} = \vec{OA} + \vec{AM} = \mathbf{a} - \frac{1}{2}\mathbf{a} + \frac{1}{2}\mathbf{b} = \frac{1}{2}\mathbf{a} + \frac{1}{2}\mathbf{b}$$

$$\vec{OP} = \frac{3}{5} \left(\frac{1}{2}\mathbf{a} + \frac{1}{2}\mathbf{b} \right) = \frac{3}{10}\mathbf{a} + \frac{3}{10}\mathbf{b}$$

$$\vec{AP} = \vec{AO} + \vec{OP} = -\mathbf{a} + \frac{3}{10}\mathbf{a} + \frac{3}{10}\mathbf{b} = -\frac{7}{10}\mathbf{a} + \frac{3}{10}\mathbf{b}$$

$$\begin{aligned} \vec{AN} &= \vec{AO} + k\vec{OB} \\ &= -\mathbf{a} + k\mathbf{b} \end{aligned}$$

$\vec{AN}$ is a multiple of $\vec{AP}$

$$\vec{AP} = -\frac{7}{10}\mathbf{a} + \frac{3}{10}\mathbf{b}$$

$$\vec{AN} = -\mathbf{a} + k\mathbf{b}$$

$$\begin{aligned} \frac{3}{10} \div \frac{7}{10} &= k \\ k &= \frac{3}{7} \end{aligned}$$

$$\begin{aligned} ON:NB \\ \frac{3}{7} : \frac{4}{7} \\ 3:4 \end{aligned}$$

$$3:4$$

(Total for Question 21 is 5 marks)

22 There are only green pens and blue pens in a box.

There are three more blue pens than green pens in the box.


There are more than 12 pens in the box.

Simon is going to take at random two pens from the box.

The probability that Simon will take two pens of the same colour is $\frac{27}{55}$

Work out the number of green pens in the box.

$$\begin{aligned}\text{Blue} &= x + 3 \\ \text{Green} &= x \\ \text{Total} &= 2x + 3\end{aligned}$$



$$\begin{aligned}P(G, G) &= \frac{x}{2x+3} \times \frac{x-1}{2x+2} \\ &= \frac{x^2 - x}{4x^2 + 4x + 6x + 6} = \frac{x^2 - x}{4x^2 + 10x + 6}\end{aligned}$$

$$\begin{aligned}P(B, B) &= \frac{x+3}{2x+3} \times \frac{x+2}{2x+2} \\ &= \frac{x^2 + 2x + 3x + 6}{4x^2 + 10x + 6} \\ &= \frac{x^2 + 5x + 6}{4x^2 + 10x + 6}\end{aligned}$$

$$\frac{x^2 - x}{4x^2 + 10x + 6} + \frac{x^2 + 5x + 6}{4x^2 + 10x + 6} = \frac{2x^2 + 4x + 6}{4x^2 + 10x + 6}$$

$$\frac{2x^2 + 4x + 6}{4x^2 + 10x + 6} = \frac{27}{55} \quad \frac{x^2 + 2x + 3}{2x^2 + 5x + 3} = \frac{27}{55}$$

$$55x^2 + 110x + 165 = 54x^2 + 135x + 81$$

$$x^2 - 25x + 84 = 0$$

$$(x - 21)(x - 4) = 0$$

$$x = 21 \text{ or } x = 4$$

Number of pens > 12

21

(Total for Question 22 is 6 marks)

TOTAL FOR PAPER IS 80 MARKS