

1 (a) Simplify $(x^3)^5$

$$x^{15}$$

(1)

(b) Expand and simplify $4(x + 3) + 7(4 - 2x)$

$$4x + 12 + 28 - 14x$$

$$-10x + 40$$

(2)

(c) Factorise fully $15x^3 + 3x^2y$

$$3x^2(5x + y)$$

(2)

(Total for Question 1 is 5 marks)


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



2



Describe fully the single transformation that maps shape S onto shape T.

Translated by $\begin{pmatrix} -5 \\ 6 \end{pmatrix}$

(Total for Question 2 is 2 marks)

- 3 The length of a football pitch is 90 metres, correct to the nearest metre.

Complete the error interval for the length of the football pitch.

$$\underline{89.5} \text{ m} \leq \text{length} < \underline{90.5} \text{ m}$$

(Total for Question 3 is 2 marks)



- 4 Festival A will be in a rectangular field with an area of $80\,000\text{ m}^2$
The greatest number of people allowed to attend Festival A is 425

Festival B will be in a rectangular field 700 m by 2000 m. $700 \times 2000 = 1\,400\,000\text{ m}^2$
The greatest number of people allowed to attend Festival B is 6750

The area per person allowed for Festival B is greater than the area per person allowed for Festival A.

- (a) How much greater?
Give your answer correct to the nearest whole number.

Festival A

$$\begin{array}{l} \div 425 \quad \left(\begin{array}{l} 425 \text{ people} = 80\,000\text{ m}^2 \\ 1 \text{ person} = 188\text{ m}^2 \end{array} \right) \div 425 \end{array}$$

Festival B

$$\begin{array}{l} \div 6750 \quad \left(\begin{array}{l} 6750 \text{ people} = 1\,400\,000\text{ m}^2 \\ 1 \text{ person} = 207\text{ m}^2 \end{array} \right) \div 6750 \end{array}$$

$$207 - 188 = 19$$

$$\dots\dots\dots 19 \dots\dots \text{m}^2$$

(4)

Callum says,

“ 300 cm^2 is the same as 3 m^2 because there are 100 cm in 1 m so you divide by 100”

Callum's method is wrong.

- (b) Explain why.

To get from cm^2 to m^2 you need to divide by 100^2

(1)

(Total for Question 4 is 5 marks)





- 5 The points L , M and N are such that LMN is a straight line.

The coordinates of L are $(-3, 1)$

The coordinates of M are $(4, 9)$

Given that $LM : MN = 2 : 3$,

find the coordinates of N .



$(14.5, 21)$

(Total for Question 5 is 4 marks)

- 6 A new phone cost £679
The value of the phone decreases at a rate of 4% per year.
Work out the value of the phone at the end of 3 years.

$$679 \times 0.96^3 = 600.135..$$

£ 600.14

(Total for Question 6 is 3 marks)

- 7 In Spain, Sam pays 27 euros for 18 litres of petrol.
In Wales, Leo pays £40.80 for 8 gallons of the same type of petrol.

$$\begin{aligned} 1 \text{ euro} &= \text{£}0.85 \\ 4.5 \text{ litres} &= 1 \text{ gallon} \end{aligned}$$

Sam thinks that petrol is cheaper in Spain than in Wales.

Is Sam correct?

You must show how you get your answer.

<u>Spain</u>	<u>Wales</u>
$\begin{aligned} &\times 0.85 \\ &\text{€ } 27 = 18 \text{ L} \\ &\downarrow \\ &\text{£ } 22.95 = 18 \text{ L} \\ &\downarrow \div 4.5 \\ &\text{£ } 22.95 = 4 \text{ G} \\ &\downarrow \times 2 \\ &\text{£ } 45.90 = 8 \text{ G} \end{aligned}$	$\text{£ } 40.80 = 8 \text{ G}$

no, petrol is cheaper in Wales

(Total for Question 7 is 4 marks)

8 Use your calculator to work out

$$\frac{\sqrt[3]{1.57^4 + \tan 60^\circ}}{7.2^{\frac{1}{2}}}$$

Give your answer correct to 3 significant figures.

$$= 0.13933...$$

$$0.139$$

(Total for Question 8 is 2 marks)



- 9 A box in the shape of a cuboid is placed on a horizontal floor.

The box exerts a force of 180 newtons on the floor.



The box exerts a pressure of 187.5 newtons/m² on the floor.

The face in contact with the floor is a rectangle of length 1.2 metres and width x metres.

Work out the value of x .

$$\text{pressure} = \frac{\text{force}}{\text{area}}$$

$$A = \frac{F}{P} = \frac{180}{187.5} = 0.96 \text{ m}^2$$




$$0.96 \div 1.2 = 0.8$$

$$x = 0.8$$

(Total for Question 9 is 3 marks)



- 10 The box plot shows information about the sales, in thousands of pounds (£000s), of an online store each month.



Andrew says,

“Three quarters of the given data lies between 160 000 and 350 000 because these are the values of the lower quartile and the upper quartile.”

Andrew is wrong.

- (a) Explain why.


one half of the data lies between the lower and upper quartile

(1)

The table shows information about the sales, in £000s, in a shop each month.

	Sales (£000s)
least value	30
lower quartile	80
median	170
upper quartile	260
greatest value	350

- (b) On the grid below, draw a box plot for this information.



(2)

- (c) Compare the distribution of the sales of the online store with the distribution of the sales in the shop.

The median number of sales is lower in the shop, suggesting that less sales were made in the shop. The IQR of the sales is higher for the online sales, suggesting that the amount of sales made each month varied more online.

(2)

(Total for Question 10 is 5 marks)

11 Kieron has 13 workers he can use for a job.

He knows that 6 workers would take $14\frac{1}{2}$ days to complete this job.

Show that Kieron has enough workers to finish this job in less than 7 days.

$$\begin{array}{lcl} \div 6 & \left\{ \begin{array}{l} 6 \text{ workers} \\ \downarrow \\ 1 \text{ worker} \end{array} \right. & = \begin{array}{l} 14.5 \text{ days} \\ \\ 87 \text{ days} \end{array} \quad \left\{ \begin{array}{l} \\ \\ \downarrow \times 6 \end{array} \right. \\ \times 13 & \left\{ \begin{array}{l} \\ \\ \downarrow 13 \text{ workers} \end{array} \right. & = \begin{array}{l} \\ \\ 6.69 \text{ days} \end{array} \quad \left\{ \begin{array}{l} \\ \\ \downarrow \div 13 \end{array} \right. \end{array}$$

(Total for Question 11 is 3 marks)



- 12 The equation of the line L_1 is $y = 2x + 3$ $\longrightarrow$ Gradient = 2
 The equation of the line L_2 is $5y - 10x + 4 = 0$

Show that these two lines are parallel.

$$\begin{array}{rcl}
 5y - 10x + 4 & = & 0 \\
 + 10x & & + 10x \\
 \hline
 5y + 4 & = & 10x \\
 - 4 & & - 4 \\
 \hline
 5y & = & 10x - 4 \\
 \div 5 & & \div 5 \\
 \hline
 y & = & 2x - \frac{4}{5}
 \end{array}
 \longrightarrow \text{Gradient} = 2$$

parallel as same gradient

(Total for Question 12 is 2 marks)


DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



13



Enlarge the shaded shape by scale factor -2 with centre of enlargement $(0, 0)$

(Total for Question 13 is 2 marks)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

- 14 Saffron wants to work out an estimate for the total number of fish in a lake.

On Friday, Saffron catches 180 fish from the lake.

She puts a tag on each of these fish and puts them back into the lake.

On Saturday, Saffron catches 305 fish from the same lake.

She finds that 45 of the 305 fish are tagged.

Work out an estimate for the total number of fish in the lake.

$$\frac{180}{n} = \frac{45}{305}$$

Handwritten red annotations: An arrow from 180 to 45 is labeled $\times 4$. An arrow from n to 305 is labeled $\times 4$.

$$305 \times 4 = 1220$$

1220

(Total for Question 14 is 3 marks)

15 The ratio of Marta's hourly pay to Khalid's hourly pay is 6 : 5

Both Marta and Khalid get an increase of £1.50 in their hourly pay.

The ratio of Marta's hourly pay to Khalid's hourly pay after this increase is 13 : 11

Work out the hourly pay before the increase for Marta and for Khalid.

$$M : K$$

$$6 : 5$$

$$12 : 10$$

$$M + 1.50 : K + 1.50$$

$$13 : 11$$



difference of 1 part on both sides

Tip: The ratio must be 12:10 as there is a difference of 1 part on both sides of the ratio when compared to 13:11, and they have had the same pay increase!

$$1 \text{ part} = £1.50$$

$$\times £1.50 \quad M : K$$

$$12 : 10$$

$$18 : 15$$

$$\times £1.50$$

Marta £ 18

Khalid £ 15

(Total for Question 15 is 4 marks)



16 A shop manager wants to advertise special offers on social media platforms.

The manager asks 100 customers which of type A , type B or type C they use.

Of these customers,

4 use all three types

16 do not use any of type A , type B or type C


8 use both type A and type B , but not type C

14 use both type B and type C

62 in total use type A

all 20 who use type C also use at least one of type A and type B .

(a) Complete the Venn diagram for this information.



(4)

One of the customers is chosen at random.

Given that this customer uses type A ,


(b) find the probability that this customer also uses type B .

$$\frac{12}{62}$$


(2)

(Total for Question 16 is 6 marks)


17 A solid cone is joined to a solid hemisphere to make the solid **T** shown below.



$$\text{Volume of sphere} = \frac{4}{3} \pi r^3$$



$$\text{Volume of cone} = \frac{1}{3} \pi r^2 h$$



The diameter of the base of the cone is 7 cm.

The diameter of the hemisphere is 7 cm.

The total volume of **T** is $120\pi \text{ cm}^3$

The total height of **T** is $y \text{ cm}$.

(a) Calculate the value of y .

Give your answer correct to 3 significant figures.

$$\text{Volume Hemisphere: } \left(\frac{4}{3} \times \pi \times 3.5^3 \right) \div 2 = 89.8 \text{ cm}^3$$

$$\text{Volume cone: } 120\pi - 89.8 = 287.19 \text{ cm}^3$$

$$\frac{1}{3} \times \pi \times 3.5^2 \times h = 287.19$$

$$\begin{array}{r|l} 12.82817 \times h & = 287.19 \\ \div 12.82817 & \div 12.82817 \\ \hline h & = 22.4 \end{array}$$

$$22.4 + 3.5$$

$$y = 25.9$$

(4)

The diameter of the base of the cone and the diameter of the hemisphere are both increased by the same amount.

Assuming the total volume of **T** does not change,

(b) explain the effect this would have on your answer to part (a).


The height would decrease

(1)

(Total for Question 17 is 5 marks)




18 PQR and QRS are triangles.



Calculate the length of QS .

Give your answer correct to 3 significant figures.

You must show all your working.




$$a^2 = b^2 + c^2 - 2bc \cos A$$

$$x^2 = 11^2 + 9.4^2 - 2(11)(9.4)\cos(27)$$

$$x^2 = 25.099..$$

$$x = 5.01 \text{ cm}$$



$$\frac{a}{\sin A} = \frac{b}{\sin B}$$

$$\frac{y}{\sin(88)} = \frac{5.01}{\sin(41)}$$

$$y \sin(88) = 5.01 \sin(88)$$

$$y = 7.63$$

7.63 cm

(Total for Question 18 is 4 marks)



19 The functions g and h are such that

$$g(x) = \sqrt[3]{2x - 5}$$

$$h(x) = \frac{1}{x}$$

(a) Find $g(16)$

$$\sqrt[3]{2(16) - 5}$$

3

(1)

(b) Find $hg^{-1}(x)$

Give your answer in terms of x in its simplest form.

Tip: To find $g^{-1}(x)$, let $g(x) = y$ and rearrange the equation to make x the subject.

$$\begin{aligned} g^{-1}(x) : \quad y &= \sqrt[3]{2x - 5} \\ y^3 &= 2x - 5 \\ y^3 + 5 &= 2x \\ \frac{y^3 + 5}{2} &= x \end{aligned}$$

$$g^{-1}(x) = \frac{x^3 + 5}{2}$$

$$\begin{aligned} hg^{-1}(x) &= \frac{1}{\left(\frac{x^3 + 5}{2}\right)} \quad \text{OR} \quad 1 \div \frac{x^3 + 5}{2} \\ &= 1 \times \frac{2}{x^3 + 5} = \frac{2}{x^3 + 5} \end{aligned}$$


$$hg^{-1}(x) = \frac{2}{x^3 + 5}$$

(3)

(Total for Question 19 is 4 marks)



- 20 A, B, C and D are points on the circumference of a circle, centre O .
 ADE and BCE are straight lines.



Work out the size of angle CDE .

Give a reason for each stage of your working.

$\angle BAD = 66^\circ$ Angles at the centre are twice the angle at the circumference

$\angle BCD = 114^\circ$ Opposite angles in a cyclic quadrilateral add to 180°


$\angle DCE = 66^\circ$ Angles on a straight line add to 180°

$x = 98^\circ$ Angles in a triangle add to 180°

98

(Total for Question 20 is 4 marks)


21 The graph of $y = f(x)$ is shown on the grid below.



(a) On the grid above, sketch the graph of $y = f(-x)$

(1)

Here is a sketch of the graph of $y = \tan x^\circ$



The graph of $y = \tan x^\circ$ is translated to give the graph of $y = g(x)$

Following the translation the point Q , shown on the graph above, moves to point R . Point R has coordinates $(90, -5)$

(b) Find an expression for $g(x)$ in terms of x .

$$Q = (360, 0)$$

$$R = (90, -5)$$

$$\begin{aligned} x\text{-coordinate} &: -270 \\ y\text{-coordinate} &: -5 \end{aligned}$$

Tip: The change in the x coordinate is written inside the bracket, and is represented by the opposite. The change in the y coordinate is written outside the bracket, and is represented as it is.

$$\tan(x + 270) - 5$$

(2)

(Total for Question 21 is 3 marks)



22 Find algebraically the set of values of x for which


$$x^2 - 49 > 0 \quad \text{and} \quad 5x^2 - 31x - 72 > 0$$

$$x^2 - 49 > 0$$

$$(x-7)(x+7) > 0$$

$$x = 7$$

$$x = -7$$



$$x < -7$$

$$x > 7$$

$$5x^2 - 31x - 72 > 0$$

$$\frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$a = 5$$


$$b = -31$$

$$c = -72$$

$$\frac{-(-31) \pm \sqrt{(-31)^2 - 4(5)(-72)}}{2(5)}$$

$$x = 8$$

$$x = -1.8$$



$$x > 8, \quad x < -7$$

(Total for Question 22 is 5 marks)

TOTAL FOR PAPER IS 80 MARKS